

Pennsylvania Department of Environmental Protection

P.O. Box 2063 Harrisburg, PA 17105-2063

August 21, 1998

The Secretary

717-787-2814

Ms. Judy Katz, Director
Air, Radiation and Toxics Division
U.S. Environmental Protection Agency
Region III
1650 Arch Street
Philadelphia, PA 19103-2029

Dear Judy:

Please find enclosed supplemental information providing additional evidence supporting Pennsylvania's Phase II Plan for the Philadelphia Ozone Nonattainment Area.

As I am sure you understand, Pennsylvania cannot commit to the reductions in the proposed Section 110 NOx State Implementation Plan (SIP) Call. While we continue to strongly support the SIP Call, we reserve our right to raise any objections that are necessary and appropriate to the final 110 SIP Call scheduled for September.

If you have questions regarding this submittal, please contact James M. Salvaggio, Director, Bureau of Air Quality, at 717-787-9702.

James M. Sez Secretary

Sincerely

Enclosure



Pennsylvania Department of Environmental Protection

Rachel Carson State Office Building P.O. Box 2063 Harrisburg, PA 17105-2063

August 21, 1998

The Secretary

717-787-2814

Ms. Judy Katz, Director Air, Radiation and Toxics Division U.S. Environmental Protection Agency Region III 1650 Arch Street Philadelphia, PA 19103-2029

Dear Judy:

Enclosure

Please find enclosed supplemental information providing additional evidence supporting Pennsylvania's Phase II Plan for the Philadelphia Ozone Nonattainment Area.

As I am sure you understand, Pennsylvania cannot commit to the reductions in the proposed Section 110 NOx State Implementation Plan (SIP) Call. While we continue to strongly support the SIP Call, we reserve our right to raise any objections that are necessary and appropriate to the final 110 SIP Call scheduled for September.

If you have questions regarding this submittal, please contact James M. Salvaggio, Director, Bureau of Air Quality, at 717-787-9702.

Sincerely

James M.

Secretary

RECEIVED

AIIG 2 8 1998

Air Protection Division (3AP21)

